





RUPPELL



GENERAL
CATALOG

WWW.RUPPELL.CO



زبان مورد نظر را انتخاب کنید


SELECT LANGUAGE



ENGLISH



PERSIAN



GENERAL
CATALOG

WWW.RUPPELL.CO






شروع

برای فعال سازی کامل امکانات کاتالوگ
در سیستم عامل های اندروید و iOS از
برنامه oneDrive یا Abode Acrobat
استفاده کنید

WWW.RUPPELL.CO






فهرست



درباره ما
ABOUT US



محصولات
PRODUCTS



تماس با ما
CONTACT US





درباره ما

شرکت امکان پویش فرآور با برند روپل در سال ۱۳۹۸ تأسیس شد.

روپل به عنوان یک برند تخصصی در حوزه ی تولید و مونتاژ دستگاه های قهوه ساز خانگی، تمرکز خود را بر مهندسی دقیق، تولید حرفه ای و کنترل کیفیت مستمر قرار داده است. ما معتقدیم کیفیت قهوه از کیفیت دستگاه آغاز می شود؛ بنابراین هدف اصلی ما ساخت دستگاهی قابل اعتماد، پایدار و حرفه ای برای مصرف کننده خانگی است.

تمام محصولات روپل با ۲۴ ماه خدمات پس از فروش ارائه می شوند و تحت نظارت سازمان حمایت از مصرف کنندگان هستند. از آنجا که مونتاژ دستگاه ها در مجموعه ما به صورت تخصصی انجام می شود، تأمین قطعات، تعمیرات و پشتیبانی فنی با دسترسی مستقیم و پاسخگویی سریع امکان پذیر است.

روپل؛ قصه هر روز شما


روایتی که با دقت در تولید آغاز می شود و با عطر یک فنجان قهوه کامل می شود.

Your Every Day Story







محصولات



آسیاب قهوه
COFFEE GRINDER



اسپرسوساز
ESPRESSO MAKER




دان قهوه
COFFEE BEEN




لوازم جانبی
ACCESSORIES





اسپرسوساز


ESPRESSO MAKER



خانگی
HOME USE



نیمه صنعتی
SEMI-COMMERCIAL



صنعتی
COMMERCIAL







RPL-CM 8011




Stainless
Steel **Housing**




Terminalblock
Boiler



Touch
screen



20 bar
steam pressure




Auto
cleaner



Overheat
Protection



1.3 L
Water Tank



Dia.51mm
Filter

اقلام همراه:

- دسته پرتافیلتر سایز ۵۱
- تمپرو پیمانه پلاستیکی
- بسکت تک و دبل
- دفترچه راهنمای فارسی

توان: ۱۳۵۰ وات


فشار بخار: ۲۰ بار

تعداد پمپ: ۱ عدد

ابعاد: ۲۶۰ × ۲۰۹ × ۲۹۹ میلی متر

- حفاظت در برابر گرمای بیش از حد
- تمیزکننده ی خودکار
- نشانگر دیجیتال
- امکان عصره گیری لانگو







RPL-CM 8040




Stainless
Steel **Housing**




Terminalblock
Boiler




Coffee
Pressure Gauge



20 bar
steam pressure




Italy
Vibration Pump



PID Smart
Temperature
Control



1.8 L
Water Tank



Dia.58mm
Filter

اقلام همراه:

- دسته پرتافیلتر صنعتی سایز ۵۸
- تمپر فلزی سایز ۵۸
- پیمانه
- بسکت تک و دبل
- پیچر استیل ۳۵۰ میلی لیتری
- دفترچه راهنمای فارسی

۱۳۵۰ وات

۲۰ بار

۱ عدد

۳۰ × ۲۷ × ۲۱ سانتی متر

توان:

فشار بخار :

تعداد پمپ :

ابعاد :

- مجهز به سیستم پیش دم آوری
- تنظیم زمان خروجی اسپرسو
- نشانگر زمان و دمای دیجیتال
- مانومتر جهت نمایش بار هنگام عصاره گیری







RPL-CM 8041




Stainless
Steel **Housing**




Terminalblock
Boiler




Coffee
Pressure Gauge



20 bar
steam pressure




Italy
Vibration Pump



PID Smart
Temperature
Control



1.8 L
Water Tank



Dia.58mm
Filter

اقلام همراه:

- دسته پرتافیلتر صنعتی سایز ۵۸
- تمپر فلزی سایز ۵۸
- پیمانه
- بسکت تک و دبل
- پیچراستیل ۳۵۰ میلی لیتری
- دفترچه راهنمای فارسی

۱۳۵۰ وات

۲۰ بار

۱ عدد

۳۰ × ۲۷ × ۲۱ سانتی متر

توان:

فشار بخار :

تعداد پمپ :

ابعاد :

- مجهز به سیستم پیش دم آوری
- تنظیم زمان خروجی اسپرسو
- نشانگر زمان و دمای دیجیتالی
- مانومتر جهت نمایش بار هنگام عصره گیری







RPL-CM 8042




Stainless
Steel **Housing**




Terminalblock
Boiler




Digital
Temperature Display



20 bar
steam pressure




Italy
Vibration Pump



PID Smart
Temperature
Control



1.8 L
Water Tank



Dia.58mm
Filter

اقلام همراه:

- دسته پرتافیلتر صنعتی سایز ۵۸
- تمپر فلزی سایز ۵۸
- پیمانه
- بسکت تک و دبل
- پیچراستیل ۳۵۰ میلی لیتری
- دفترچه راهنمای فارسی

توان: ۱۳۵۰ وات

فشار بخار: ۲۰ بار

تعداد پمپ: ۱ عدد

ابعاد: ۳۰ × ۲۷ × ۲۱ سانتی متر

توان:

فشار بخار:

تعداد پمپ:


ابعاد:

- مجهز به سیستم پیش دم آوری
- تنظیم زمان خروجی اسپرسو
- نشانگر زمان و دمای دیجیتال







RPL-CM 8043




Stainless
Steel **Housing**




Terminalblock
Boiler




Coffee
Pressure Gauge



20 bar
steam pressure




Italy
Vibration Pump



PID Smart
Temperature
Control



1.8 L
Water Tank



Dia. 58mm
Filter

اقلام همراه:

- دسته پرتافیلتر صنعتی سایز ۵۸
- تمپر فلزی سایز ۵۸
- پیمانه
- بسکت تک و دبل
- پیچراستیل ۳۵۰ میلی لیتری
- دفترچه راهنمای فارسی

توان: ۱۳۵۰ وات

فشار بخار: ۲۰ بار

تعداد پمپ: ۱ عدد

ابعاد: ۲۹ × ۲۴ × ۳۳ سانتی متر

- مجهز به سیستم پیش دم آوری
- تنظیم زمان خروجی اسپرسو
- نشانگر زمان و دمای دیجیتال
- مانومتر جهت نمایش بار هنگام عصاره گیری
- سیستم **back wash**







RPL-CM 9011




Stainless
Steel **Housing**




Terminalblock
Boiler




Coffee
Pressure Gauge




15 bar
steam pressure



Automatic
Pre-infusion




Italy
Vibration Pump



NTC Temperature
Control



0.85L Water Tank
+ **Connect External**
Water Source



Dia.58mm
Filter



one Hole
Steaming Nozzle

اقلام همراه:

- دسته پرتافیلتر صنعتی سایز ۵۸
- تمپر فلزی سایز ۵۸
- بسکت تک و دبل
- پیچر استیل ۳۵۰ میلی لیتری
- برس نظافت
- لاستیک کورکن جهت شستشوی دستگاه

توان: ۱۳۵۰-۱۶۰۰ وات

فشار بخار: ۱۵ بار

تعداد بویلر: ۱ عدد

تعداد پمپ: ۱ عدد

ابعاد: ۲۹ × ۳۴ × ۳۸ سانتی متر

توان:

فشار بخار:

تعداد بویلر:

تعداد پمپ:

ابعاد:

- بویلر ترموبلاک

- پمپ ایتالیایی OLAB

- صفحه LED تمام لمسی

- مجهز به سیستم پیش دم آوری

- سنسور دمای NTC (کنترل هوشمند حرارت)

- قابلیت اتصال به آب شهری و مخزن آب

- دارای نازل تک سوراخ







RPL-CM 9012




Stainless
Steel **Housing**




Super
Heating Block




Coffee
Pressure Gauge




15 bar
steam pressure




Automatic
Pre-infusion




Italy
Vibration Pump



NTC Temperature
Control



0.8 L
Water Tank



Dia.58mm
Filter



Two Hole
Steaming Nozzle

اقلام همراه:

- دسته پرتافیلتر صنعتی سایز ۵۸
- تمپر فلزی سایز ۵۸
- بسکت تک و دبل
- پیچر استیل ۳۵۰ میلی لیتری
- برس نظافت
- لاستیک کورکن جهت شستشوی دستگاه

توان: ۱۳۵۰-۱۸۵۰ وات

فشار بخار: ۱۵ بار

تعداد بویلر: ۱ عدد

تعداد پمپ: ۱ عدد

ابعاد: ۳۸ × ۲۶ × ۳۹ سانتی متر

توان:

فشار بخار:


تعداد بویلر:

تعداد پمپ:

ابعاد:

- بویلر ترموبلاک
- پمپ ایتالیایی OLAB
- صفحه LED تمام لمسی
- مجهز به سیستم پیش دم آوری
- تنظیم دمای آب خروجی
- دارای مخزن آب ۸۰۰ میلی لیتری
- دارای نازل دو سوراخ







RPL-CM 9020




Stainless
Steel **Housing**




0.5L Coffee Boilers
1L Steam Boiler




Coffee Pressure Gauge
Steam Pressure Gauge




15 bar
steam pressure



Automatic
Pre-infusion




Italy
Vibration Pump




PID Smart
Temperature Control



Connect External
Water Source



Dia.58mm
Filter



Three Holes
Steaming Nozzle

اقلام همراه:

- دسته پرتافیلتر صنعتی سایز ۵۸
- تمپر فلزی سایز ۵۸
- بسکت تک و دبل
- پیچر استیل ۳۵۰ میلی لیتری
- برس نظافت
- لاستیک کورکن جهت شستشوی دستگاه

توان: ۲۲۵۰-۲۷۰۰ وات

فشار بخار: ۱۵ بار

تعداد بویلر: ۲ عدد

تعداد پمپ: ۱ عدد

ابعاد: ۳۴ x ۳۹ x ۳۹ سانتی متر

بویلر ۱ لیتری جهت بخار

بویلر ۵/۰ لیتری جهت عصاره گیری

پمپ ایتالیایی **OLAB**

صفحه LED تمام لمسی


مجهز به سیستم پیش دم آوری

سنسور دمای **NTC** (کنترل هوشمند حرارت)


اتصال به آب شهری

دارای نازل ۳ سوراخ







RPL-CM 9090




Stainless
Steel **Housing**




9L
Boiler




Coffee Pressure Gauge
Steam Pressure Gauge




9 bar
steam pressure



Automatic
Pre-infusion




Italy
Vibration Pump




PID Smart
Temperature Control



Connect External
Water Source



Dia.58mm
Filter



Four Holes
Steaming Nozzle

اقلام همراه:

- دو عدد دسته پرتافیلتر صنعتی سایز ۵۸
- یک عدد بسکت تک
- دو عدد بسکت دبل
- تمپر فلزی سایز ۵۸
- پیچر استیل ۳۵۰ میلی لیتری
- برس نظافت

توان: ۲۴۰۰ وات

۹ بار

۱ عدد

۱ عدد

ابعاد: ۵۷ × ۶۵ × ۸۵ سانتی متر

توان:

فشار بخار :

تعداد بویلر:

تعداد پمپ :

ابعاد :

- بویلر ۹ لیتری

- روتاری پمپ ایتالیایی

- دو عدد فلومتر


- دارای نازل ۴ سوراخ






آسیاب قهوه


COFFEE GRINDER



خانگی
HOME USE



نیمه صنعتی
SEMI-COMMERCIAL



صنعتی
COMMERCIAL







RPL-CM 5061



Professional Single
Dose Grinding



30 Grinding
Settings



100g Coffee
Bean Hopper



48mm Stainless
Steel Knife Plate



Silent
Sound



Easy to
Operate

- ۳۰ درجه آسیاب قابل تنظیم

- ظرفیت مخزن ۱۰۰ گرم

- صدای بسیار کم

۱۵۰ وات

KNIFE BLADE

استیل

۴۸ میلی متر

۲۴×۱۱×۲۹ سانتی متر

توان:

نوع تیغه:

جنس تیغه:

قطر تیغه:

ابعاد:







RPL-CM 5070




Single / Double
Dose Setting



11 Grinding
Settings



500g Coffee
Bean Hopper



64mm Stainless
Steel Cutter



Detachable
Grinding Disc



Touch
screen

- ۱۱ درجه آسیاب قابل تنظیم
- ظرفیت مخزن هاپر ۵۰۰ گرم
- صفحه LED تمام لمسی

۲۵۰ وات

Flat Burr

استیل

۶۰ میلی متر

۲۲×۱۸×۳۶ سانتی متر

توان:

نوع تیغه:

جنس تیغه:

قطر تیغه:

ابعاد:







RPL-CM 5080




Single / Double
Dose Setting



11 Grinding
Settings



1500g Coffee
Bean Hopper



74mm Stainless
Steel Cutter



Adjustable
Setting



Touch
screen

- ۱۱ درجه آسیاب قابل تنظیم
- ظرفیت مخزن ۱۵۰۰ گرم
- صفحه LED تمام لمسی

۵۰۰ وات

Flat Burr

استیل

۷۴ میلی متر

۲۲×۱۸×۳۶ سانتی متر

توان:

نوع تیغه:

جنس تیغه:

قطر تیغه:

ابعاد:





لوازم جانبی

ACCESSORIES



PORTAFILTER CLEANER



COFFEE TAMPER

COFFEE DISTRIBUTOR

COFFEE DOSING FUNNEL

ADJUSTABLE WDT TOOLS 6 FLAT NEEDLES





RPL-PC 4010 PORTAFILTER CLEANER

اقلام همراه:

- فرچه گرد سیمی
- فرچه نرم تمیزکاری
- برس سیلیکونی
- آداپتور ۲۱ ولت ۲ آمپر
- دفترچه راهنمای فارسی

۶۰ وات

RPM ۴۳۰

۲ لیتر

۲۲ × ۱۴ × ۲۶ سانتی متر

توان:

دور موتور :


ظرفیت مخزن قهوه:

ابعاد :





COFFEE TAMPER




Dia.58mm
Filter





COFFEE DISTRIBUTOR




Dia.58mm
Filter






COFFEE DOSING FUNNEL



Dia.58mm
Filter





Adjustable WDT Tools **6 FLAT NEEDLES**





دان قهوه

COFFEE BEEN



LADY

DAILY

DAILY+

PARTY

ENERGY

ENERGY+





LADY


%100 ARABICA



Resealable One-Way Valve Pouch



Medium Roast



1000g Coffee Bean





DAILY


%80 ARABICA
%20 ROBUSTA



Resealable One-Way Valve Pouch




Medium Roast



1000g Coffee Bean





DAILY+


%60 ARABICA
%40 ROBUSTA



Resealable One-Way Valve Pouch




Medium Roast



1000g Coffee Bean





PARTY


%50 ARABICA
%50 ROBUSTA



Resealable One-Way Valve Pouch




Medium Roast



1000g
Coffee Bean





ENERGY


%20 ARABICA
%80 ROBUSTA



Resealable One-Way Valve Pouch





Medium Roast



1000g Coffee Bean





ENERGY+


%100 ROBUSTA



Pouch
Packaging



Medium
Roast



1000g
Coffee Bean





تماس با ما
**CONTACT
US**

- نشانی: تهران، بزرگراه نواب (جنوب به شمال)، قبل از پل امام خمینی، نبش کوچه کاسبی، مجتمع اداری-تجاری-پزشکی رز تهران، پلاک ۴۰۷، طبقه چهارم، واحد ۴۰۴
- کدپستی: ۱۳۱۹۹۹۰۰۷۴
- تلفن: ۰۲۱-۵۸ ۷۰ ۶۰۰۰





RUPPELL



GENERAL
CATALOG

WWW.RUPPELL.CO



START

To enable the full functionality of the catalog on Android and iOS, please utilize OneDrive or Adobe Acrobat.

WWW.RUPPELL.CO






TITELS



ABOUT US



PRODUCTS



CONTACT US





ABOUT US

Emkan Pouyesh Faravar, under the brand **Ruppell**, was established in 2019.

Ruppell is a specialized brand in the field of producing and assembling home coffee machines, focusing on precise engineering, professional production, and continuous quality control. We believe that the quality of coffee begins with the quality of the machine; therefore, our main goal is to create a reliable, durable, and professional device for home consumers.

All **Ruppell** products come with **24** months of after-sales service under the supervision of the Consumer Protection Organization. Since all assembly is done in-house with professional expertise, parts supply, repairs, and technical support are directly accessible with quick response times.

Ruppell; Your Everyday Story


A journey that begins with precision in production and ends with the aroma of a perfect cup of coffee.

Your Every Day Story






PRODUCTS



COFFEE GRINDER



ESPRESSO MAKER




COFFEE BEEN



ACCESSORIES






ESPRESSO MAKER



HOME USE



SEMI-COMMERCIAL



COMMERCIAL






RPL-CM 8011




Stainless
Steel **Housing**




Terminalblock
Boiler



Touch
screen



20 bar
steam pressure




Auto
cleaner



Overheat
Protection



1.3 L
Water Tank



Dia.51mm
Filter

Power: **1350 W**
Pump Pressure: **20 Bar**
Number of Pumps: **1**
Dimensions: **30X21X26 cm**

Advanced Functions

- Overheat Protection
- Automatic Cleaning Function
- Digital Indicator
- Lungo Extraction Capability

Included Accessories

- 51 mm Portafilter Holder
- Plastic Tamper and Measuring Scoop
- Single and Double Filter Baskets
- Persian User Manual







RPL-CM 8040




Stainless
Steel **Housing**




Terminalblock
Boiler




Coffee
Pressure Gauge



20 bar
steam pressure




Italy
Vibration Pump



PID Smart
Temperature
Control



1.8 L
Water Tank



Dia.58mm
Filter

Power: **1350 W**
Pump Pressure: **20 Bar**
Number of Pumps: **1**
Dimensions: **21X27X30 cm**

Advanced Functions

- Equipped with Pre-Infusion System
- Adjustable Espresso Output Time
- Digital Time and Temperature Display
- Pressure Gauge for Bar Display During Extraction

Included Accessories

- 58 mm Commercial Portafilter Handle
- 58 mm Metal Tamper
- Measuring Scoop
- Single and Double Filter Baskets
- 350 ml Stainless Steel Milk Pitcher
- Persian User Manual







RPL-CM 8041




Stainless
Steel **Housing**




Terminalblock
Boiler




Coffee
Pressure Gauge



20 bar
steam pressure




Italy
Vibration Pump



PID Smart
Temperature
Control



1.8 L
Water Tank



Dia.58mm
Filter

Power: **1350 W**
Pump Pressure: **20 Bar**
Number of Pumps: **1**
Dimensions: **21X27X30 cm**

Advanced Functions

- Equipped with Pre-Infusion System
- Adjustable Espresso Extraction Time
- Digital Time and Temperature Display
- Pressure Gauge for Monitoring Bar Pressure During Extraction

Included Accessories

- 58 mm Professional Portafilter Handle
- 58 mm Metal Tamper
- Measuring Scoop
- Single and Double Filter Baskets
- 350 ml Stainless Steel Milk Pitcher
- Persian User Manual







RPL-CM 8042




Stainless
Steel **Housing**




Terminalblock
Boiler




Digital
Temperature Display



20 bar
steam pressure




Italy
Vibration Pump



PID Smart
Temperature
Control



1.8 L
Water Tank



Dia. 58mm
Filter

Power: **1350 W**
Pump Pressure: **20 Bar**
Number of Pumps: **1**
Dimensions: **21X27X30 cm**

Advanced Functions

- Equipped with Pre-Infusion System
- Adjustable Espresso Extraction Time
- Digital Time and Temperature Display


Included Accessories

- 58 mm Professional Portafilter Handle
- 58 mm Metal Tamper
- Measuring Scoop
- Single and Double Filter Baskets
- 350 ml Stainless Steel Milk Pitcher
- Persian User Manual







RPL-CM 8043




Stainless
Steel **Housing**




Terminalblock
Boiler




Coffee
Pressure Gauge



20 bar
steam pressure




Italy
Vibration Pump



PID Smart
Temperature
Control



1.8 L
Water Tank



Dia. 58mm
Filter

Power: **1350 W**
Pump Pressure: **20 Bar**
Number of Pumps: **1**
Dimensions: **29X24X33 cm**

Advanced Functions

- Equipped with Pre-Infusion System
- Adjustable Espresso Extraction Time
- Digital Time and Temperature Display
- Pressure Gauge for Monitoring Bar Pressure During Extraction
- Backwash System

Included Accessories

- 58 mm Professional Portafilter Handle
- 58 mm Metal Tamper
- Measuring Scoop
- Single and Double Filter Baskets
- 350 ml Stainless Steel Milk Pitcher
- Persian User Manual







RPL-CM 9011




Stainless Steel **Housing**




Terminalblock **Boiler**




Coffee
Pressure Gauge




15 bar
steam pressure



Automatic
Pre-infusion




Italy
Vibration Pump



NTC Temperature
Control



0.85L Water Tank
+ **Connect External**
Water Source



Dia.58mm
Filter



one Hole
Steaming Nozzle

Power: **1350-1600 W**
Pump Pressure: **15 Bar**
Boiler Type: **Thermoblock**
Number of Boilers: **1**
Number of Pumps: **1**
Dimensions: **29×34×38 cm**

Advanced Functions

- Thermoblock Boiler
- Italian Pump OLAB
- Full Touch LED Control Panel
- Equipped with Pre-Infusion System
- NTC Smart Temperature Control Sensor
- Supports Direct Water Line Connection and Water Tank Use
- Single-Hole Steam Wand

Included Accessories

- 58 mm Professional Portafilter Handle
- 58 mm Metal Tamper
- Single and Double Filter Baskets
- 350 ml Stainless Steel Milk Pitcher
- Cleaning Brush
- Blind Filter Rubber Disc for Machine Cleaning







RPL-CM 9012




Stainless
Steel **Housing**




Super
Heating Block




Coffee
Pressure Gauge




15 bar
steam pressure




Automatic
Pre-infusion




Italy
Vibration Pump



NTC Temperature
Control



0.8 L
Water Tank



Dia.58mm
Filter



Two Hole
Steaming Nozzle

Power: **1350-1850 W**
Pump Pressure: **15 Bar**
Boiler Type: **Thermoblock**
Number of Boilers: **1**
Number of Pumps: **1**
Dimensions: **38 x 26 x 39 cm**


Advanced Functions

- Thermoblock Boiler
- Italian Pump OLAB
- Full Touch LED Control Panel
- Equipped with Pre-Infusion System
- Adjustable Water Output Temperature
- 800 ml Water Tank
- Dual-Hole Steam Wand


Included Accessories

- 58 mm Professional Portafilter Handle
- 58 mm Metal Tamper
- Single and Double Filter Baskets
- 350 ml Stainless Steel Milk Pitcher
- Cleaning Brush
- Blind Filter Rubber Disc for Machine Cleaning







RPL-CM 9020




Stainless
Steel **Housing**




0.5L Coffee Boilers
1L Steam Boiler




Coffee Pressure Gauge
Steam Pressure Gauge




15 bar
steam pressure



Automatic
Pre-infusion




Italy
Vibration Pump




PID Smart
Temperature Control



Connect External
Water Source



Dia.58mm
Filter



Three Holes
Steaming Nozzle

Power: **2250-2700 W**
Pump Pressure: **15 Bar**
Boiler Type: **Thermoblock**
Number of Boilers: **2**
Number of Pumps: **1**
Dimensions: **34 x 39 x 39 cm**

Advanced Functions

- 1 L Boiler for Steam Function
- 0.5 L Boiler for Espresso Extraction
- Italian Pump OLAB
- Full Touch LED Control Panel
- Equipped with Pre-Infusion System
- NTC Smart Temperature Control Sensor
- Direct Water Line Connection
- 3-Hole Steam Wand

Included Accessories

- 58 mm Professional Portafilter Handle
- 58 mm Metal Tamper
- Single and Double Filter Baskets
- 350 ml Stainless Steel Milk Pitcher
- Cleaning Brush
- Blind Filter Rubber Disc for Machine Cleaning







RPL-CM 9090




Stainless
Steel **Housing**




9L
Boiler




Coffee Pressure Gauge
Steam Pressure Gauge




9 bar
steam pressure




Automatic
Pre-infusion




Italy
Vibration Pump




PID Smart
Temperture Control



Connect External
Water Source



Dia.58mm
Filter



Four Holes
Steaming Nozzle

Power: **2400 W**
Pump Pressure: **9 Bar**
Number of Boilers: **1**
Number of Pumps: **1**
Dimensions: **57 × 65 × 85 cm**

Advanced Functions

- 9 L Boiler
- Italian Rotary Pump
- Two Flowmeters
- 4-Hole Steam Wand


Included Accessories

- Two 58 mm Professional Portafilter Handles
- One Single Filter Basket
- Two Double Filter Baskets
- 58 mm Metal Tamper
- 350 ml Stainless Steel Milk Pitcher
- Cleaning Brush







COFFEE GRINDER



HOME USE




SEMI-COMMERCIAL



COMMERCIAL






RPL-CM 5061



Professional Single
Dose Grinding



30 Grinding
Settings



100g Coffee
Bean Hopper



48mm Stainless
Steel Knife Plate



Silent
Sound



Easy to
Operate

Power: **150 W**
Burr Type: **Knife Blade**
Blade Material: **Stainless Steel**
Blade Diameter: **48 mm**
Dimensions: **29×11×24 cm**

- 30 Grinding Settings
- 100 g Bean Hopper Capacity
- Very Low Noise Operation







RPL-CM 5070



Single / Double
Dose Setting



11 Grinding
Settings



500g Coffee
Bean Hopper



64mm Stainless
Steel Cutter



Detachable
Grinding Disc



Touch
screen

Power: **150 W**
Burr Type: **Knife Blade**
Blade Material: **Stainless Steel**
Blade Diameter: **48 mm**
Dimensions: **29×11×24 cm**

- 11 Grind Settings
- 64 mm Stainless Steel Burr
- 500 g Bean Hopper Capacity
- Ultra-Low Noise Operation
- Touch Screen
- Single / Double Dose







RPL-CM 5080



Single / Double
Dose Setting



11 Grinding
Settings



1500g Coffee
Bean Hopper



74mm Stainless
Steel Cutter



Adjustable
Setting



Touch
screen

Power: **150 W**
Burr Type: **Flat Burr**
Blade Material: **Stainless Steel**
Blade Diameter: **74 mm**
Dimensions: **36×18×22 cm**

- 11 Adjustable Grinding Settings
- 1500 g Hopper Capacity
- Full Touch LED Control Panel





ACCESSORIES



PORTAFILTER CLEANER


COFFEE TAMPER

COFFEE DISTRIBUTOR

COFFEE DOSING FUNNEL

ADJUSTABLE WDT TOOLS 6 FLAT NEEDLES





RPL-PC 4010 PORTAFILTER CLEANER

Power: 60 W
Motor Speed: 430 RPM
Tank Capacity: 2 L
Dimensions: 22×14×26 cm


Included Accessories

- Wire Cleaning Brush
- Soft Cleaning Brush
- Silicone Cleaning Brush
- 21V 2A Power Adapter
- Persian User Manual





COFFEE TAMPER




Dia.58mm
Filter





COFFEE DISTRIBUTOR




Dia.58mm
Filter






COFFEE DOSING FUNNEL



Dia.58mm
Filter





Adjustable WDT Tools **6 FLAT NEEDLES**





COFFEE BEEN



LADY

DAILY

DAILY+

PARTY

ENERGY

ENERGY+





LADY


%100 ARABICA



Resealable One-Way Valve Pouch



Medium Roast



1000g Coffee Bean





DAILY


%80 ARABICA
%20 ROBUSTA



Resealable One-Way Valve Pouch




Medium Roast



1000g Coffee Bean





DAILY+


%60 ARABICA
%40 ROBUSTA



Resealable One-Way Valve Pouch




Medium Roast



1000g Coffee Bean





PARTY


%50 ARABICA
%50 ROBUSTA



Resealable One-Way Valve Pouch




Medium Roast



1000g Coffee Bean





ENERGY


%20 ARABICA
%80 ROBUSTA



Resealable One-Way Valve Pouch





Medium Roast



1000g Coffee Bean





ENERGY+


%100 ROBUSTA



Pouch
Packaging



Medium
Roast



1000g
Coffee Bean





CONTACT US

Company Address:

Unit 404, 4th Floor, No. 407, Rose Tehran Administrative,
Commercial & Medical Complex, Corner of Kasebi Alley,
Before Imam Khomeini Bridge, Navvab Expressway
Southbound to Northbound Direction, Tehran, Iran.

